

Latest infection status, etc. (1)

○ Trends in the numbers of new cases of infection

(Per 100,000 of the population)

	3/29 ~ 4/4			4/5 ~ 4/11			4/12 ~ 4/18		
Nationwide	38.64	(48,748)	↑	43.89	(55,367)	↑	46.33	(58,442)	↑
Hokkaido	55.33	(2,891)	↑	63.89	(3,338)	↑	64.89	(3,390)	↑
Saitama	29.79	(2,188)	↑	35.39	(2,599)	↑	39.42	(2,895)	↑
Chiba	32.54	(2,045)	↑	41.96	(2,637)	↑	43.42	(2,729)	↑
Tokyo	45.36	(6,372)	↑	54.19	(7,613)	↑	56.89	(7,991)	↑
Kanagawa	33.80	(3,122)	↑	42.20	(3,898)	↑	42.99	(3,971)	↑
Aichi	32.58	(2,457)	↓	37.64	(2,839)	↑	36.90	(2,783)	↓
Kyoto	32.08	(827)	↑	45.93	(1,184)	↑	57.06	(1,471)	↑
Osaka	32.66	(2,886)	↑	40.76	(3,602)	↑	46.58	(4,117)	↑
Hyogo	29.94	(1,636)	↑	35.19	(1,923)	↑	34.16	(1,867)	↓
Fukuoka	31.29	(1,607)	↑	34.57	(1,775)	↑	37.00	(1,900)	↑
Okinawa	33.60	(493)	↓	41.64	(611)	↑	68.21	(1,001)	↑

○ Trends in the testing system

(No. of tests, No. of test-positive persons/No. of tests)

	3/20 ~ 3/26			3/27 ~ 4/2			4/3 ~ 4/9		
Nationwide	594,100	↓ 8.0%	↑	564,536	↓ 8.3%	↑	612,313	↑ 8.9%	↑
Hokkaido	21,965	↓ 9.8%	↑	22,778	↑ 11.9%	↑	22,412	↓ 14.9%	↑
Saitama	30,076	↓ 7.1%	↑	29,265	↓ 7.2%	↑	27,320	↓ 9.2%	↑
Chiba	24,797	↓ 7.7%	↑	24,719	↓ 8.1%	↑	22,916	↓ 11.0%	↑
Tokyo	54,552	↓ 8.9%	↑	55,950	↑ 10.6%	↑	127,872	↑ 5.8%	↓
Kanagawa	29,330	↓ 9.0%	↑	30,325	↑ 9.4%	↑	27,879	↓ 13.5%	↑
Aichi	32,240	↓ 7.9%	↓	29,559	↓ 7.8%	↓	27,879	↓ 10.3%	↑
Kyoto	9,777	↓ 8.4%	↓	9,322	↓ 8.4%	↓	8,559	↓ 13.2%	↑
Osaka	63,642	↓ 4.5%	↑	62,428	↓ 4.4%	↓	60,676	↓ 5.6%	↑
Hyogo	15,765	↓ 9.9%	↑	15,391	↓ 10.4%	↑	13,790	↓ 14.1%	↑
Fukuoka	28,916	↓ 5.4%	↓	26,014	↓ 6.0%	↑	25,845	↓ 7.0%	↑
Okinawa	13,235	↓ 4.1%	↑	10,906	↓ 4.3%	↑	6,259	↓ 9.0%	↑

* ↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the “number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)” and the “number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities).”

* The “number of test-positive persons/number of tests” is calculated mechanically with the “number of tests (including tests at discharge)” as the denominator and the “number of new positive cases” as the numerator. The calculation result may exceed 100% due to the influence of delays in reporting the number of tests, so attention should be paid to interpreting the results including those of other prefectures.

Latest infection status, etc. (2)

○ Trends in the numbers of inpatients

[No. of inpatients (Ratio to the no. of secured beds)]

	3/29		4/5		4/12	
Nationwide	3,231 (6.8%)	↓	2,887 (6.2%)	↓	3,056 (6.5%)	↑
Hokkaido	157 (6.5%)	↑	159 (6.6%)	↑	189 (7.8%)	↑
Saitama	133 (7.7%)	↓	103 (5.9%)	↓	124 (7.2%)	↑
Chiba	118 (6.7%)	↓	113 (6.9%)	↓	92 (5.7%)	↓
Tokyo	463 (6.2%)	↓	440 (6.0%)	↓	496 (6.7%)	↑
Kanagawa	253 (11.5%)	↓	217 (9.9%)	↓	253 (11.5%)	↑
Aichi	189 (11.2%)	↓	126 (7.9%)	↓	98 (6.2%)	↓
Kyoto	103 (9.8%)	↑	79 (8.4%)	↓	106 (11.3%)	↑
Osaka	280 (5.7%)	↓	255 (5.3%)	↓	237 (4.9%)	↓
Hyogo	161 (9.4%)	↑	153 (8.9%)	↓	144 (8.4%)	↓
Fukuoka	120 (5.7%)	↓	89 (4.3%)	↓	101 (4.8%)	↑
Okinawa	21 (3.3%)	↓	20 (3.1%)	↓	29 (4.5%)	↑

○ Trends in the numbers of severe patients


[No. of inpatients (Ratio to the no. of secured beds)]

	3/29		4/5		4/12	
Nationwide	183 (3.3%)	↓	168 (3.1%)	↓	176 (3.2%)	↑
Hokkaido	4 (3.3%)	↑	5 (4.1%)	↑	2 (1.6%)	↓
Saitama	2 (1.4%)	↓	2 (1.4%)	→	1 (0.7%)	↓
Chiba	3 (2.6%)	→	2 (1.7%)	↓	4 (3.5%)	↑
Tokyo	60 (5.4%)	↓	64 (5.7%)	↑	69 (6.2%)	↑
Kanagawa	4 (1.9%)	→	2 (1.0%)	↓	7 (3.3%)	↑
Aichi	1 (0.7%)	→	2 (1.4%)	↑	3 (2.1%)	↑
Kyoto	14 (8.0%)	↑	6 (3.4%)	↓	6 (3.4%)	→
Osaka	63 (3.9%)	↓	56 (3.5%)	↓	60 (3.8%)	↑
Hyogo	4 (2.8%)	→	4 (2.8%)	→	0 (0.0%)	↓
Fukuoka	3 (1.3%)	→	1 (0.4%)	↓	0 (0.0%)	↓
Okinawa	0 (0.0%)	→	0 (0.0%)	→	0 (0.0%)	→


* “Trends in the numbers of inpatients” are based on the “Surveillance of the Status of Care for Patients with the Novel Coronavirus Infection and the Number of Beds,” by the Ministry of Health, Labour and Welfare. In this surveillance, the results as of 0:00 on the presentation date are published.

↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* Since "(1) Number of new cases of infection reported" is based on HER-SYS data, it is possible to limit the scope of notification of new coronavirus infection if notified by the prefectural government from September 2 to 26, 2022. Therefore, the number of infected patients reported on HER-SYS may be smaller than the number of infected patients disclosed by the prefectural government.
 * The numbers per 100,000 of the population were calculated based on the National population census in 2020.
 * The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."
 (Source) ADB Material, dated April 19, 2023


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status



(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."


(1) No. of new cases of infection reported




(2) No. of new positive cases (per 100,000 of the population) / ratio to the previous week




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds



(6) No. of patients receiving treatment



* The numbers per 100,000 of the population were calculated based on the National population census in 2020.

* The number of tests represents the total number, including tests at the time of discharge. It is determined by summing up the "number of PCR tests performed (counted for each prefecture by public health institutes/public health centers, private inspection laboratories, and universities/medical facilities)" and the "number of persons who underwent an antigen test (sampling) (counted for each prefecture by public health institutes/public health centers and universities/medical facilities)."