

# Latest infection status, etc. (1)

## ○Trends in the number of new cases of infection

(Per 100,000 of the population)

	5/25~5/31			6/1~6/7			6/8~6/14		
Nationwide	33.55	(42,334)	↑	31.32	(39,518)	↓	24.70	(31,164)	↓
Hokkaido	54.02	(2,836)	↑	73.73	(3,871)	↑	77.09	(4,047)	↑
Saitama	22.76	(1,673)	↑	20.71	(1,522)	↓	15.39	(1,131)	↓
Chiba	15.91	(996)	↓	15.40	(964)	↓	12.72	(796)	↓
Tokyo	43.95	(6,118)	↑	36.60	(5,095)	↓	30.56	(4,254)	↓
Kanagawa	20.96	(1,928)	↑	21.93	(2,017)	↑	19.72	(1,814)	↓
Aichi	45.87	(3,464)	↑	51.73	(3,907)	↑	45.27	(3,419)	↓
Kyoto	35.42	(915)	↑	36.51	(943)	↑	22.22	(574)	↓
Osaka	69.70	(6,140)	↓	46.66	(4,110)	↓	28.04	(2,470)	↓
Hyogo	50.15	(2,741)	↓	33.88	(1,852)	↓	19.69	(1,076)	↓
Fukuoka	62.50	(3,190)	↑	61.27	(3,127)	↓	38.44	(1,962)	↓
Okinawa	40.88	(594)	↑	63.87	(928)	↑	100.07	(1,454)	↑

## ○Trends in the testing system

(No. of tests, positive rate)

	5/17~5/23			5/24~5/30			5/31~6/6		
Nationwide	595,933↓	5.8%	↑	597,295↑	4.3%	↓	488,963↓	3.6%	↓
Hokkaido	35,447↑	11.8%	↑	28,642↓	10.8%	↓	21,926↓	8.3%	↓
Saitama	48,913↓	2.6%	↓	52,420↑	1.7%	↓	50,477↓	1.5%	↓
Chiba	31,673↓	2.7%	↓	31,110↓	2.4%	↓	18,032↓	3.8%	↑
Tokyo	100,722↓	4.5%	↑	87,081↓	4.5%	↓	99,050↑	3.0%	↓
Kanagawa	22,046↓	8.6%	↑	21,558↓	7.5%	↓	20,595↓	7.0%	↓
Aichi	23,611↓	16.3%	↑	22,715↓	11.3%	↓	16,428↓	10.2%	↓
Kyoto	10,378↓	7.1%	↑	8,034↓	4.8%	↓	7,213↓	4.2%	↓
Osaka	57,808↓	5.1%	↓	62,011↑	3.0%	↓	45,396↓	2.7%	↓
Hyogo	18,097↓	7.3%	↓	15,463↓	5.3%	↓	14,377↓	3.7%	↓
Fukuoka	26,223↓	9.5%	↑	19,872↓	6.6%	↓	16,536↓	3.7%	↓
Okinawa	7,026↑	17.4%	↑	9,035↑	20.2%	↑	15,708↑	10.2%	↓

\* ↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.

\* The number of tests and the percentage of positive subjects were calculated based on the aggregated data as of June 11.

# Latest infection status, etc. (2)

## ○Trends in the numbers of inpatients

[No. of inpatients (Ratio to the no. of secured beds)]

	5/25	6/1	6/8
Nationwide	16,581 (47.6%) ↓	14,276 (40.3%) ↓	11,751 (33.0%) ↓
Hokkaido	1,028 (56.8%) ↑	1,059 (53.5%) ↑	1,028 (51.9%) ↓
Saitama	693 (43.1%) ↓	587 (35.7%) ↓	493 (30.0%) ↓
Chiba	416 (30.6%) ↓	340 (25.0%) ↓	345 (27.3%) ↑
Tokyo	2,241 (37.1%) ↓	1,899 (31.4%) ↓	1,592 (26.3%) ↓
Kanagawa	599 (33.5%) ↑	565 (31.6%) ↓	542 (30.3%) ↓
Aichi	1,043 (68.8%) ↑	946 (62.4%) ↓	853 (56.3%) ↓
Kyoto	274 (58.4%) ↓	211 (42.4%) ↓	192 (38.6%) ↓
Osaka	1,776 (66.5%) ↓	1,410 (52.6%) ↓	1,067 (39.6%) ↓
Hyogo	723 (60.3%) ↓	597 (51.9%) ↓	452 (39.3%) ↓
Fukuoka	948 (73.0%) ↑	905 (67.2%) ↓	753 (55.0%) ↓
Okinawa	441 (75.4%) ↓	608 (99.7%) ↑	623 (88.7%) ↑

## ○Trends in the numbers of severe patients

[No. of inpatients (Ratio to the no. of secured beds)]


	5/25	6/1	6/8
Nationwide	1,843 (36.0%) ↑	1,643 (34.0%) ↓	1,359 (28.0%) ↓
Hokkaido	60 (37.0%) ↑	56 (38.6%) ↓	39 (26.9%) ↓
Saitama	51 (25.5%) ↓	44 (27.0%) ↓	40 (24.5%) ↓
Chiba	26 (14.4%) ↑	17 (18.1%) ↓	21 (20.8%) ↑
Tokyo	535 (44.3%) ↑	504 (41.8%) ↓	424 (35.1%) ↓
Kanagawa	75 (37.7%) ↑	66 (33.2%) ↓	60 (30.2%) ↓
Aichi	90 (61.6%) ↑	95 (65.1%) ↑	92 (63.0%) ↓
Kyoto	32 (37.2%) ↓	24 (27.9%) ↓	19 (22.1%) ↓
Osaka	413 (52.6%) ↓	317 (40.0%) ↓	251 (31.3%) ↓
Hyogo	91 (70.0%) ↓	90 (66.2%) ↓	66 (48.5%) ↓
Fukuoka	80 (46.5%) ↓	75 (43.6%) ↓	54 (28.9%) ↓
Okinawa	64 (98.5%) ↑	88 (86.3%) ↑	80 (81.6%) ↓

\* “Trends in the numbers of inpatients” are based on the “Surveillance of the Status of Care for Patients with the Novel Coronavirus Infection and the Number of Beds,” by the Ministry of Health, Labour and Welfare. In this surveillance, the results as of 0:00 on the presentation date are published.


↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.

# Nationwide


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Bed occupancy rate




(6) No. of patients receiving treatment




(Source) ADB Material, dated June 16, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients









(5) Bed occupancy rate



(6) No. of patients receiving treatment




(Source) ADB Material, dated June 16, 2021




(Source) ADB Material, dated June 16, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients









(5) Bed occupancy rate




(6) No. of patients receiving treatment




(Source) ADB Material, dated June 16, 2021




(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Bed occupancy rate









(6) No. of patients receiving treatment




(Source) ADB Material, dated June 16, 2021






(Source) ADB Material, dated June 16, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients




(5) Bed occupancy rate




(6) No. of patients receiving treatment




(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients




(5) Bed occupancy rate




(6) No. of patients receiving treatment




(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients




(5) Bed occupancy rate




(6) No. of patients receiving treatment




(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients




(5) Bed occupancy rate




(6) No. of patients receiving treatment




(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Bed occupancy rate



(6) No. of patients receiving treatment



(Source) ADB Material, dated June 16, 2021