


# Detection of norovirus by prefecture, 2011/12

(Infectious Agents Surveillance Report: Data based on the reports received before September 1, 2012 from public health institutes)




Infectious Agents Surveillance Report


## Reports of detection




36W  
(09/05-09/11)  
45 cases



37W  
(09/12-09/18)  
4 cases




38W  
(09/19-09/25)  
1 case




39W  
(09/26-10/02)  
5 cases


## Reports of detection




40W  
(10/03-10/09)  
6 cases



41W  
(10/10-10/16)  
10 cases




42W  
(10/17-10/23)  
12 cases




43W  
(10/24-10/30)  
26 cases


## Reports of detection




44W  
(10/31-11/06)  
20 cases



45W  
(11/07-11/13)  
33 cases



46W  
(11/14-11/20)  
38 cases



47W  
(11/21-11/27)  
38 cases


# Detection of norovirus by prefecture, 2011/12

(Infectious Agents Surveillance Report: Data based on the reports received before September 1, 2012 from public health institutes)




Infectious Agents Surveillance Report


## Reports of detection




48W  
(11/28-12/04)  
70 cases



49W  
(12/05-12/11)  
132 cases




50W  
(12/12-12/18)  
230 cases




51W  
(12/19-12/25)  
207 cases


## Reports of detection




52W  
(12/26-01/01)  
105 cases



1W  
(01/02-01/08)  
72 cases




2W  
(01/09-01/15)  
138 cases




3W  
(01/16-01/22)  
197 cases


## Reports of detection




4W  
(01/23-01/29)  
104 cases



5W  
(01/30-02/05)  
110 cases



6W  
(02/06-02/12)  
92 cases



7W  
(02/13-02/19)  
108 cases


# Detection of norovirus by prefecture, 2011/12

(Infectious Agents Surveillance Report: Data based on the reports received before September 1, 2012 from public health institutes)




Infectious Agents Surveillance Report


## Reports of detection




8W  
(02/20-02/26)  
70 cases



9W  
(02/27-03/04)  
93 cases




10W  
(03/05-03/11)  
74 cases




11W  
(03/12-03/18)  
59 cases


## Reports of detection




12W  
(03/19-03/25)  
43 cases



13W  
(03/26-04/01)  
51 cases




14W  
(04/02-04/08)  
42 cases




15W  
(04/09-04/15)  
52 cases


## Reports of detection




16W  
(04/16-04/22)  
31 cases



17W  
(04/23-04/29)  
38 cases



18W  
(04/30-05/06)  
9 cases



19W  
(05/07-05/13)  
34 cases


# Detection of norovirus by prefecture, 2011/12

(Infectious Agents Surveillance Report: Data based on the reports received before September 1, 2012 from public health institutes)




Infectious Agents Surveillance Report


## Reports of detection




20W  
(05/14-05/20)  
20 cases



21W  
(05/21-05/27)  
34 cases




22W  
(05/28-06/03)  
25 cases




23W  
(06/04-06/10)  
33 cases


## Reports of detection




24W  
(06/11-06/17)  
23 cases



25W  
(06/18-06/24)  
4 cases




26W  
(06/25-07/01)  
5 cases




27W  
(07/02-07/08)  
5 cases


## Reports of detection




28W  
(07/09-07/15)  
4 cases



29W  
(07/16-07/22)  
2 cases



30W  
(07/23-07/29)  
5 cases



31W  
(07/30-08/05)  
3 cases


# Detection of norovirus by prefecture, 2011/12

(Infectious Agents Surveillance Report: Data based on the reports received before September 1, 2012 from public health institutes)




Infectious Agents Surveillance Report

## Reports of detection




32W  
(08/06-08/12)  
1 case



33W  
(08/13-08/19)  
7 cases



34W  
(08/20-08/26)  
no case



35W  
(08/27-09/02)  
no case