


Detection of norovirus by prefecture, 2021/22

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2022 from public health institutes)




Infectious Agents Surveillance Report


Reports of detection




36W
(09/06-09/12)
1 case



37W
(09/13-09/19)
3 cases




38W
(09/20-09/26)
10 cases




39W
(09/27-10/03)
7 cases


Reports of detection




40W
(10/04-10/10)
3 cases



41W
(10/11-10/17)
14 cases




42W
(10/18-10/24)
8 cases




43W
(10/25-10/31)
21 cases


Reports of detection




44W
(11/01-11/07)
18 cases



45W
(11/08-11/14)
24 cases



46W
(11/15-11/21)
30 cases



47W
(11/22-11/28)
27 cases


Detection of norovirus by prefecture, 2021/22

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2022 from public health institutes)




Infectious Agents Surveillance Report


Reports of detection




48W
(11/29-12/05)
34 cases



49W
(12/06-12/12)
37 cases




50W
(12/13-12/19)
45 cases




51W
(12/20-12/26)
63 cases


Reports of detection




52W
(12/27-01/02)
18 cases



1W
(01/03-01/09)
13 cases




2W
(01/10-01/16)
46 cases




3W
(01/17-01/23)
67 cases


Reports of detection




4W
(01/24-01/30)
20 cases



5W
(01/31-02/06)
44 cases



6W
(02/07-02/13)
18 cases



7W
(02/14-02/20)
9 cases


Detection of norovirus by prefecture, 2021/22

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2022 from public health institutes)




Infectious Agents Surveillance Report


Reports of detection




8W
(02/21-02/27)
29 cases



9W
(02/28-03/06)
45 cases




10W
(03/07-03/13)
13 cases




11W
(03/14-03/20)
23 cases


Reports of detection




12W
(03/21-03/27)
9 cases



13W
(03/28-04/03)
3 cases




14W
(04/04-04/10)
18 cases




15W
(04/11-04/17)
8 cases

Reports of detection




16W
(04/18-04/24)
11 cases



17W
(04/25-05/01)
2 cases



18W
(05/02-05/08)
no case



19W
(05/09-05/15)
5 cases


Detection of norovirus by prefecture, 2021/22

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2022 from public health institutes)




Infectious Agents Surveillance Report


Reports of detection




20W
(05/16-05/22)
12 cases



21W
(05/23-05/29)
14 cases




22W
(05/30-06/05)
9 cases




23W
(06/06-06/12)
5 cases


Reports of detection




24W
(06/13-06/19)
19 cases



25W
(06/20-06/26)
14 cases




26W
(06/27-07/03)
16 cases




27W
(07/04-07/10)
4 cases


Reports of detection



28W
(07/11-07/17)
1 case



29W
(07/18-07/24)
1 case



30W
(07/25-07/31)
1 case



31W
(08/01-08/07)
no case

Detection of norovirus by prefecture, 2021/22

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2022 from public health institutes)



Infectious Agents Surveillance Report

Reports of detection



32W
(08/08-08/14)
no case



33W
(08/15-08/21)
no case



34W
(08/22-08/28)
no case



35W
(08/29-09/04)
no case